




Morris and Watson

CHAIN
CATALOGUE
2026





Established in 1928, Morris & Watson remains proudly family owned and operated. With manufacturing and services across multiple international markets, we've built our reputation on premium quality and lasting relationships with the jewellery industry. Beyond chain manufacturing, we offer a full suite of services including fabricated metal, casting, precious metal refining, and bullion supply.

Quality & Product Information

Morris & Watson gold and silver products are guaranteed for quality, strength, and carat.

- * All products are marked with our maker's mark and carat stamp, unless requested otherwise.
- * Weights provided are approximate and expressed as grams per centimetre.
- * Available in all precious metals upon request.
- * All popular lines are held in stock; all products can be made to order, please contact us for details around minimum order quantities.
- * All chains are available in any length and form, e.g. FOB, padlock bracelet, bracelet, and necklace.

Our Commitment to You

Any goods found to be faulty due to a manufacturing fault will be replaced at no charge, provided the original invoice is supplied. All other returns will be credited at the metal price of the day.



Manufactured Chain Catalogue

Belcher Chains	Page 8
Anchor Chains	Page 10
Cable Chains	Page 12
Curb Chains	Page 16
Long Curb Chains	Page 23
Double Curb Chains	Page 26
Figaro Chains	Page 28
Wheat Chains	Page 39
Paper Clip Chains	Page 40
Box Chains	Page 42
Snake Chains	Page 43
Singapore Chains	Page 43
Cuban Chains	Page 44
Ball Chains	Page 45
Omega Chains	Page 48
Franco Chains	Page 48



Conversion Table

	Platinum 950	18Y+P Gold	18W Gold	14 any Gold	10 any Gold	9 any Gold	925 Silver
Platinum 950	1	0.77	0.81	0.65	0.56	0.55	0.52
18Y+P Gold	1.30	1	1.06	0.84	0.73	0.71	0.67
18W Gold	1.23	0.94	1	0.80	0.69	0.67	0.63
14 any Gold	1.54	1.18	1.25	1	0.87	0.84	0.80
10 any Gold	1.78	1.37	1.45	1.15	1	0.97	0.92
9 any Gold	1.83	1.41	1.49	1.19	1.03	1	0.95
925 Silver	1.93	1.49	1.58	1.26	1.09	1.06	1

Please note that due to the nature of precious metals, a small variation in weight may occur between pieces. As gold and silver have different densities, the final weight can vary depending on the metal selected, with an estimated variation of approximately 5% for gold and up to 10% for silver. Final weights are to be confirmed.

All measurements and specifications provided in this document represent the closest approximation available at the time of publication and are subject to change.

Morris & Watson Limited and Morris & Watson Australia are certified members of the Responsible Jewellery Council (RJC), upholding ethical supply chain standards across the jewellery and precious metals industry.




BELCHER CHAINS

Round Belcher (B)




Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
0.5	190	0.06	0.06
1	244	0.11	0.12
2	340	0.18	0.20
3	468	0.39	0.43
3.5	470	0.56	0.59
4	694	0.72	0.76
5	880	1.36	1.45



Oval Belcher (BO)



Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
0.5	146	0.05	0.05
1	254	0.09	0.10
2	315	0.17	0.19
3	480	0.32	0.35
3.5	550	0.44	0.48
4	688	0.63	0.70




BELCHER CHAINS

Diamond Cut Oval Belcher (BOD)




Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
1	2.00	0.08	0.09
2	2.55	0.14	0.17
3	3.85	0.28	0.29



V Diamond Cut Oval Belcher (BOV)



Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
1	1.91	0.09	0.10
2	2.63	0.13	0.17
3	4.04	0.30	0.38



ANCHOR CHAINS

Basic Anchor Chain (AN)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
40	190	190	0.08	0.09
60	244	244	0.09	0.09
80	340	340	0.17	0.18
100	468	468	0.27	0.30
120	470	470	0.41	0.44
150	694	694	0.55	0.58
180	700	700	0.60	0.66



Diamond Cut Anchor Chain (AND)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
40	0.35	143	0.03	0.03
60	0.50	2.35	0.07	0.08
80	0.66	3.12	0.22	0.24
100	0.85	4.00	0.26	0.28
120	0.95	4.90	0.33	0.35
150	1.10	6.00	0.49	0.50





ANCHOR CHAINS

Bevel Diamond Cut Anchor (BAND)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
60	0.50	2.30	0.07	0.07
80	0.69	3.10	0.14	0.15
100	0.85	3.96	0.22	0.23
120	1.00	4.90	0.30	0.32
150	1.10	6.00	0.33	0.47




CABLE CHAINS

Basic Cable (RCA)



Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
30	1.20	0.03	0.04
40	1.65	0.05	0.05
50	2.20	0.08	0.08
60	2.35	0.11	0.11
70	2.60	0.17	0.18
80	3.20	0.19	0.20
100	3.80	0.28	0.30
120	4.70	0.42	0.43
150	5.80	0.67	0.71
180	7.25	1.01	1.10
200	7.85	1.17	1.28
250	9.60	1.73	1.88
300	11.48	2.54	2.88
350	13.40	3.12	3.31




Please note: this product is also available in Platinum PT 950, gauge 40

CABLE CHAINS

Cable Diamond Cut (RCAD)




Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
30	0.95	0.02	0.02
40	1.35	0.04	0.04
50	1.60	0.05	0.06
60	1.97	0.08	0.09
80	2.72	0.16	0.17
100	3.20	0.24	0.26
120	3.70	0.34	0.37
150	4.60	0.53	0.55



Brill Cable (RCABR)



Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
30	1.02	0.03	0.03
40	1.66	0.06	0.06
50	2.04	0.07	0.08
60	2.55	0.10	0.12
80	3.37	0.11	0.11
100	2.65	0.25	0.27





CABLE CHAINS

Bevel Cut Cable (RCABC)




Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
30	0.83	0.03	0.03
40	0.88	0.04	0.04
50	1.67	0.07	0.07
70	1.78	0.17	0.18
80	2.85	0.16	0.22
100	3.52	0.31	0.33



Tight Round Cable (TCA)



Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
35	1.50	0.04	0.05
45	1.80	0.08	0.09
70	2.57	0.18	0.18




CABLE CHAINS

Double Cable (DCA)




Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
70	0.90	0.28	0.31
80	4.63	0.19	0.39
100	5.76	0.53	0.57



Brill Long Cable (BRL)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
30	0.22	2.00	0.03	0.03
60	0.50	2.55	0.08	0.10




CURB CHAINS

Basic Curb (C)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
30	0.66	1.05	0.04	0.04
35	0.85	1.20	0.06	0.06
40	0.88	1.37	0.06	0.06
50	1.16	1.80	0.09	0.09
60	1.40	2.00	0.11	0.11
70	1.70	2.45	0.16	0.17
80	1.82	2.90	0.23	0.25
100	2.40	3.50	0.30	0.32
120	2.90	4.20	0.46	0.49
150	3.50	5.25	0.75	0.79
180	4.00	6.30	1.04	1.11
200	4.30	7.15	1.32	1.42
220	4.80	7.70	1.66	1.76
250	5.50	9.00	2.06	2.34
300	6.50	10.50	2.96	3.21
350	7.15	12.50	3.91	4.43
400	7.95	14.30	4.07	4.44
450	8.80	15.70	4.20	4.45



CURB CHAINS

Diamond Cut Curb (CD)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
30	0.58	1.03	0.03	0.03
40	0.73	1.33	0.06	0.06
50	0.95	1.77	0.08	0.09
60	1.10	1.98	0.11	0.11
70	1.10	2.45	0.16	0.17
80	1.47	2.80	0.17	0.21
100	1.82	3.34	0.25	0.30
120	1.78	4.37	0.37	0.42
150	2.14	5.55	0.59	0.66
180	2.35	6.45	0.76	0.85
200	3.06	7.45	1.05	1.22
220	2.90	9.00	1.28	1.42
250	3.30	9.10	1.30	1.49
300	4.08	10.90	1.98	2.19
400	6.00	14.80	4.14	6.64





Please note this product is available in PT 950 in gauge 40

CURB CHAINS

Bevel Diamond Cut Curb (BSCD)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
50	0.88	1.75	0.07	0.08
60	1.06	1.95	0.09	0.10
70	1.10	2.52	0.13	0.14
80	1.47	2.83	0.19	0.20
100	1.82	3.30	0.28	0.29
120	1.78	4.25	0.36	0.38
150	2.22	5.33	0.57	0.58
180	2.35	6.30	0.69	0.76
200	3.06	7.52	0.97	1.05
220	2.90	7.80	1.06	1.17
250	3.12	8.45	1.37	1.51
300	4.08	10.38	1.90	2.13
350	5.18	12.10	2.50	3.10
400	6.00	14.40	3.93	3.95




CURB CHAINS

Super Flat Diamond Cut Curb (FCD)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
100	0.93	3.46	0.22	0.24
120	1.20	4.35	0.29	0.29
150	1.55	5.90	0.46	0.56
180	1.90	6.70	0.77	0.85
220	2.35	8.15	1.04	1.30
250	2.80	9.80	1.39	1.50
350	4.20	13.50	2.98	2.99





CURB CHAINS

Super Flat Bevel Diamond Cut Curb (FBSCD)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
60	0.60	2.05	0.06	0.07
80	0.85	3.15	0.14	0.15
100	0.93	3.46	0.16	0.18
120	1.10	4.40	0.24	0.26
150	1.55	5.85	0.43	0.44
180	1.90	6.70	0.61	0.62
200	2.00	7.80	0.73	0.81
220	2.35	8.40	0.95	0.98
250	2.80	10.05	1.37	1.42
300	3.30	11.37	1.77	2.02
350	4.20	13.50	2.66	2.85
400	4.40	15.50	3.17	3.65
450	4.24	17.20	3.50	3.71





CURB CHAINS

Tight Curb Flat Bevel Diamond Cut Curb (TFBSCD)





Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
120	1.33	4.02	0.29	0.34
150	1.70	5.15	0.47	0.53
180	2.00	6.50	0.51	0.74
200	2.11	8.50	0.78	0.81
250	2.40	10.20	1.03	1.21
300	2.90	9.56	1.51	1.61
350	3.40	11.72	2.13	2.28



Ultra Flat Bevel Diamond Cut Curb (UFBSCD)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
60	0.51	2.08	0.07	0.07
70	0.54	2.62	0.07	0.07
80	0.68	3.15	0.10	0.11
100	0.84	3.53	0.15	0.16
120	0.96	4.39	0.20	0.22
150	1.33	5.72	0.35	0.37





CURB CHAINS

Double Concave Bevel Diamond Cut Curb (CCBSCD)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
60	0.89	192	0.06	0.06
70	1.08	2.37	0.10	0.11
80	1.50	2.80	0.17	0.19
100	1.80	3.20	0.23	0.25
120	1.78	4.25	0.36	0.39
150	2.22	5.18	0.52	0.55
180	2.30	6.00	0.66	0.72
200	3.00	7.00	0.95	1.03
250	3.05	8.60	1.12	1.22
300	3.80	10.40	1.65	1.90
350	4.70	12.50	1.84	2.00



LONG CURB CHAINS

Basic Long Curb (LC)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
40	0.95	1.40	0.04	0.04
50	1.16	1.75	0.06	0.07
60	1.50	2.10	0.09	0.10
80	1.90	2.80	0.17	0.19
100	2.25	3.50	0.25	0.27
120	2.65	4.20	0.38	0.41
150	3.25	5.30	0.57	0.57
180	4.05	6.30	0.90	0.95
200	4.35	7.00	1.03	1.14
220	4.80	7.70	1.30	1.09
250	5.40	8.75	1.90	2.01




LONG CURB CHAINS

Diamond Cut Long Curb (LCD)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
40	0.77	1.45	0.04	0.04
50	0.79	2.29	0.06	0.06
60	0.85	2.15	0.08	0.08
80	1.20	3.45	0.16	0.17
100	1.45	3.70	0.20	0.23
120	2.04	4.30	0.30	0.33
150	2.22	5.10	0.45	0.50
180	2.35	6.10	0.72	0.78
200	3.10	7.42	1.00	1.09





LONG CURB CHAINS

Bevel Diamond Cut Long Curb (BSLCD)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
50	0.79	2.00	0.05	0.06
60	0.85	2.22	0.07	0.08
80	1.06	2.80	0.13	0.15
100	1.41	3.20	0.19	0.20
120	1.78	4.00	0.31	0.33
150	2.22	5.15	0.44	0.48
180	2.35	6.44	0.60	0.69
200	2.90	7.90	0.78	1.83
220	3.06	8.35	0.78	0.86
250	3.12	8.55	1.26	1.33




DOUBLE CURB CHAINS

Double Curb (DC)




Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
40	0.95	2.13	0.07	0.10
50	1.30	2.80	0.16	0.17
80	2.18	4.26	0.23	0.24
150	3.80	7.43	1.25	1.39
200	4.90	10.15	2.37	2.39



Diamond Cut Double Curb (DCD)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
40	0.73	2.21	0.07	0.08
50	0.70	3.20	0.10	0.12
80	1.80	3.55	0.20	0.36
150	2.58	8.80	1.05	1.13



DOUBLE CURB CHAINS

Diamond Cut Double Diamond Long Curb (DDLCD)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
30	0.68	2.09	0.04	0.04
40	0.79	2.67	0.07	0.08




FIGARO CHAINS

Basic Figaro 1+3 (F1/3)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
40	1.45	1.40	0.04	0.05
50	1.80	1.75	0.07	0.07
60	2.15	2.10	0.07	0.11
70	1.30	2.46	0.10	0.16
80	2.85	2.80	0.18	0.20
100	3.70	3.50	0.27	0.30
120	4.40	4.20	0.40	0.44
150	5.50	5.25	0.63	0.70
180	6.50	6.30	0.72	0.90
200	7.40	7.00	1.07	1.25
220	7.98	7.70	1.19	1.19
250	9.15	9.25	1.90	2.01
300	10.50	10.70	4.00	4.24



FIGARO CHAINS

Basic Figaro 1+1 (F1/1)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
40	1.45	1.40	0.04	0.04
50	1.80	1.75	0.07	0.07
60	2.15	2.10	0.07	0.10
70	1.30	2.46	1.10	0.14
80	2.85	2.80	0.17	0.18
100	3.70	3.50	0.26	0.28
120	4.40	4.20	0.36	0.40
150	5.50	5.25	0.58	0.64
180	6.50	6.30	0.82	0.89
200	7.40	7.00	1.00	1.09
250	9.15	9.25	1.35	1.48
300	10.50	10.70	1.40	1.55



FIGARO CHAINS

Basic Oval Figaro 1+3 (OVF1/3)




Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
40	1.14	1.90	0.05	0.05
50	2.20	1.75	0.10	0.10
60	1.60	2.60	0.11	0.11
80	1.90	3.50	0.18	0.21
100	4.40	3.50	0.29	0.32
120	5.35	4.20	0.29	0.43



Basic Oval Figaro 1+1 (OVF1/1)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
40	1.14	1.90	0.04	0.05
50	2.20	1.75	0.10	0.10
60	1.60	2.65	0.09	0.10
80	1.90	3.40	0.17	0.18
100	4.40	3.50	0.28	0.30
120	5.35	4.20	0.38	0.43



FIGARO CHAINS

Diamond Cut Figaro 1+3 (FD1/3)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
40	0.80	1.40	0.04	0.05
50	0.85	1.94	0.06	0.06
60	0.90	2.20	0.08	0.09
70	1.10	2.40	0.12	0.13
80	1.14	2.92	0.15	0.17
120	1.78	4.47	0.35	0.38
150	2.22	5.50	0.52	0.56
180	2.45	6.45	0.74	0.85
200	3.06	8.45	1.00	1.06
220	3.12	9.30	1.10	1.22
250	3.30	9.80	1.32	1.46




FIGARO CHAINS

Diamond Cut Figaro 1+1 (FD1/1)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
40	0.80	1.40	0.03	0.04
50	0.85	1.94	0.05	0.05
60	0.90	2.20	0.07	0.08
70	1.10	2.40	0.12	0.13
80	1.14	2.92	0.14	0.15
100	1.50	3.65	0.22	0.23
120	1.78	4.47	0.32	0.34
150	2.22	5.50	0.46	0.52
180	2.45	6.45	0.64	0.77
200	3.06	8.45	1.00	1.06
250	3.12	9.80	1.25	1.38
300	4.08	12.40	1.30	1.44



FIGARO CHAINS

Diamond Cut Oval Figaro 1+3 (OVFD1/3)




Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
40	1.14	1.90	0.05	0.05
50	2.20	1.75	0.06	0.07
60	3.10	2.50	0.09	0.10
80	3.33	3.50	0.17	0.17
100	4.40	3.50	0.25	0.27
120	5.35	4.20	0.29	0.38



Diamond Cut Oval Figaro 1+1 (OVFD1/1)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
40	1.14	1.90	0.05	0.05
50	2.20	1.75	0.10	0.10
60	3.10	2.50	0.08	0.09
80	3.33	3.50	0.15	0.16
100	4.40	3.50	0.23	0.25
120	4.50	4.20	0.34	0.39




FIGARO CHAINS

Bevel Diamond Cut Oval Figaro 1+3 (BSFD1/3)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
50	0.88	1.80	0.05	0.06
60	0.85	2.15	0.08	0.08
70	1.10	2.55	0.11	0.12
80	1.20	2.80	0.14	0.15
100	1.41	3.30	0.21	0.23
120	1.78	4.22	0.30	0.33
150	2.22	5.09	0.47	0.53
180	2.35	5.18	0.60	0.75
200	3.05	6.90	0.89	0.94
220	3.30	7.30	1.00	1.19
250	3.12	7.90	1.27	1.39
300	4.08	10.00	1.74	1.84





FIGARO CHAINS

Bevel Diamond Cut Oval Figaro 1+1 (BSFD1/1)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
50	0.88	1.80	0.05	0.05
70	1.10	2.55	0.09	0.12
80	1.20	2.80	0.13	0.14
100	1.41	3.30	0.18	0.19
120	1.78	4.22	0.29	0.33
180	2.35	5.18	0.58	0.70
200	3.06	6.90	0.78	0.82
250	3.12	7.30	1.11	1.23
300	4.08	10.00	1.30	1.44




FIGARO CHAINS

Super Flat Bevel Figaro 1+3 (FBSFD1/3)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
50	0.54	1.91	0.04	0.04
60	0.60	2.20	0.06	0.06
80	0.90	2.90	0.11	0.12
100	0.93	3.90	0.16	0.17
120	1.10	4.75	0.25	0.27
150	1.55	5.90	0.39	0.42
180	1.90	7.20	0.57	0.60
200	2.00	8.24	0.66	0.78
220	2.35	8.70	0.87	0.92
250	2.80	9.90	1.19	1.39




FIGARO CHAINS

Concave Bevel Figaro 1+3 (CFBSFD1/3)




Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
250	2.71	10.02	1.18	1.39



Concave Bevel Figaro 1+1 (CFBSFD1/1)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
250	2.71	10.02	1.11	1.18




FIGARO CHAINS

Double Concave Bevel Figaro 1+3 (CCBSFD1/3)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
60	0.68	2.07	0.06	0.07
70	0.78	2.32	0.10	0.10
80	0.82	2.69	0.12	0.13
100	1.11	3.34	0.20	0.21
120	1.77	4.10	0.29	0.30
150	1.90	4.91	0.40	0.42
180	2.30	6.01	0.56	0.61
250	2.85	8.52	1.01	1.07
300	3.63	9.85	1.37	1.45





FIGARO CHAINS

Double Concave Bevel Figaro 1+1 (CCBSFD1/1)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
80	0.82	2.69	0.12	0.13
100	1.04	3.28	0.17	0.19
180	2.30	6.01	0.58	0.63
250	2.85	8.52	0.95	1.01
300	3.63	9.85	1.54	1.63



WHEAT CHAINS

Diamond Cut Wheat (WHD)



Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
25	0.85	0.03	0.03
40	1.40	0.08	0.08
60	2.00	0.12	0.13




PAPER CLIP CHAINS

Basic Paper Clip (PCL)



Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
50	1.75	0.06	0.06
60	2.10	0.08	0.08
80	2.80	0.17	0.18
100	3.60	0.25	0.27
120	4.20	0.29	0.42
150	5.25	0.45	0.49
180	6.30	0.90	0.98



Diamond Cut Paper Clip (PCLD)



Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
50	1.86	0.04	0.06
60	2.17	0.06	0.06
80	2.97	0.11	0.17
100	3.65	0.16	0.22
120	4.22	0.24	0.33
150	5.27	0.45	0.49
180	6.30	0.90	0.98



PAPER CLIP CHAINS

Brill Hammered Paper Clip (PCLBR)



Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
50	1.96	0.06	0.07
60	2.02	0.09	0.10
80	3.02	0.17	0.18
100	3.74	0.25	0.27
120	4.65	0.38	0.42
150	5.72	0.57	0.62
180	6.30	0.98	1.04



Figaro Paper Clip 1+3 (PCL1/3)



Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
50	1.75	0.06	0.18
60	2.10	0.09	0.10
80	2.80	0.17	0.18
100	3.60	0.26	0.28
120	4.20	0.36	0.40
150	5.25	0.58	0.63
180	6.30	0.82	0.89




PAPER CLIP CHAINS

Figaro Paper Clip 1+1 (PCL1/1)



Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
50	1.75	0.06	0.06
60	2.10	0.09	0.09
80	2.80	0.13	0.15
100	3.60	0.26	0.28
120	4.20	0.32	0.40
150	5.25	0.49	0.63
180	6.30	0.82	0.89




BOX CHAINS

Diamond Cut Box (BOXD)



Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
19	0.90	0.06	0.06
26	1.31	0.09	0.10
40	19.10	0.25	0.27



SNAKE CHAINS

Round Snake (SNK)



Gauge	ØD mm	AG 925 g/cm	AU 375 g/cm
30	0.91	0.06	0.08
40	1.47	0.12	0.12
50	1.80	0.14	0.19




SINGAPORE CHAINS

Flat Singapore (SNG)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
30	0.30	1.90	0.04	0.05
40	0.40	2.41	0.08	0.08
50	0.50	3.10	0.11	0.12
60	0.60	3.38	0.16	0.17



CUBAN CHAINS

Cuban Chain (CU)



Gauge	Thickness mm	Width mm	AG 925 g/cm	AU 375 g/cm
60	0.56	2.10	0.06	0.06
80	0.82	3.26	0.13	0.13
100	0.85	4.10	0.18	0.18
120	1.02	4.80	0.26	0.29
150	1.30	5.95	0.39	0.39
180	1.50	7.20	0.55	0.57
200	2.00	8.10	0.78	0.85
220	2.42	11.50	0.78	0.83
250	2.55	9.70	1.28	1.35
300	2.90	11.45	1.80	1.90
350	3.12	12.34	1.71	1.95
400	3.36	15.70	2.56	2.72
450	4.04	17.68	3.69	3.92



BALL CHAINS

Ball Chain (BC)




Gauge	ØD mm	AG 925 g/cm	AU 375 g/cm
150	1.50	0.07	0.07
200	2.00	0.11	0.12
300	3.00	0.27	0.27



Diamond Cut Ball Chain (BCD)



Gauge	ØD mm	AG 925 g/cm	AU 375 g/cm
150	1.50	0.06	0.07
200	2.00	0.10	0.11
300	3.00	0.23	0.25




BALL CHAINS

Figaro Ball Chain 1+2 (BCF1/2)




Gauge	ØD mm	AG 925 g/cm	AU 375 g/cm
150	1.50	0.06	0.07



Diamond Cut Figaro Ball Chain 1+2 (BCFD1/2)



Gauge	ØD mm	AG 925 g/cm	AU 375 g/cm
150	1.50	0.06	0.07




BALL CHAINS

Figaro Ball Chain 3+7 (BCF3/7)




Gauge	ØD mm	AG 925 g/cm	AU 375 g/cm
150	1.50	0.07	0.08



Diamond Cut Figaro Ball Chain 3+7 (BCFD3/7)



Gauge	ØD mm	AG 925 g/cm	AU 375 g/cm
150	1.50	0.07	0.08




OMEGA CHAINS

Round Omega (RO)



Gauge	ØD mm	AG 925 g/cm	AU 375 g/cm
100	1.00	0.16	0.17
120	1.20	0.22	0.23
150	1.50	0.30	0.32



FRANCO CHAINS

Diamond Cut Franco (FC)



Gauge	Width mm	AG 925 g/cm	AU 375 g/cm
40	1.25	0.06	0.06
60	1.75	0.14	0.15



CLASPS

Box Clasp



Big Parrot Clasp



Bolt Ring



Big Bolt Ring



Lobster Clasp



Parrot Clasp





NZ

350 Neilson Street
Onehunga, Auckland 1061
New Zealand
+64 9 634 2035 / 0800 500 654
customerservice@morrisandwatson.co.nz

BNE

Unit 21, 35 Paringa Road,
Murarrie, QLD 4172
Australia
+61 7 3871 0999 / 1800 469 088
sales@morrisandwatson.com.au

SYD

Level 4, Suite 1, 250 Pitt Street
Sydney, NSW 2000
Australia
+61 2 9261 1922 / 1800 469 088
sales@morrisandwatson.com.au